



Registration number – UK 2015 - 0941 Appearance – Green/Blue Wax block with ridges

Describe the activity or work process.
(Inc. how long/ how often this is carried out and quantity substance used)

Rodent anticoagulant bait block for the control of rodents in and around buildings. Not recommended for prolonged use in external areas (25 weeks). To be used in quantities as per product label (up to 10 blocks per station).

Location of process being carried out?

Used to treat active rat populations in external areas or internal rodent issues or where high risk conditions exist, as per continued use of external rodenticide site specific risk assessment.













Identify the persons at risk:

Employees Sub-contractors Public

Name the substance involved including active ingredient, in the process and its manufacturer.
(A copy of a current safety data sheet is attached to this assessment)

Contrac Blox (Bell laboratories)
Bromadiolone (0.005%)

Classification (state the category of danger)

	<input checked="" type="checkbox"/>	May cause damaged through prolonged or repeated exposure		<input type="checkbox"/>	Irritant - dermatitis causing		<input type="checkbox"/>	Extremely Flammable
	<input type="checkbox"/>	Toxic		<input type="checkbox"/>	Sensitising		<input type="checkbox"/>	Highly Flammable
	<input type="checkbox"/>	Corrosive		<input type="checkbox"/>	Biological		<input type="checkbox"/>	Flammable
	<input type="checkbox"/>	Harmful – lung damage if swallowed		<input type="checkbox"/>	Oxidising		<input type="checkbox"/>	Environmental

Hazard Type

Gas
 Vapour
 Mist
 Fume
 Dust
 Liquid
 Solid
 Other (State)

Route of Exposure

Inhalation
 Skin
 Eyes
 Ingestion
 Other (State)

Workplace Exposure Limits (WELs) please indicate n/a where not applicable

n/a Short-term exposure level (15 mins):
n/a

State the Risks to Health from Identified Hazards

EC Classification: May cause damage to organs through prolonged or repeated exposure

Control Measures:

Consider non-toxic or least toxic alternatives before application
 Always read label before use and comply with details.
 To be used by trained operative (professional) only
 Keep in original, labelled container.
 Remain in control of substance at all times. Storage to be restricted to certified store, out of storage use to be confined to regulated vehicle.
 Place substance in manner to prevent access by non target species including pets. Within Tamper resistant bait box at all times.
 Where risk of interception by 3rd party warning labels to be used to denote use and risk
 Records to be kept on usage and location in pest control master file.

Operator to wear suitable PPE when handling. Including gloves. Records of PPE maintenance to be held
 Waste product to be retained and disposed of by Pest Control operator as per EA guidelines.









Safety Phrases:

- S1 Keep locked up
- S2 Keep out of the reach of children
- S7 Keep container tightly closed
- S13 Keep away from food, drink and animal feeding stuffs
- S20/21 When using do not eat, drink or smoke
- S36/37 Wear suitable protective clothing and gloves
- S44 If you feel unwell, seek medical advice (show the label where possible)
- S49 Keep in original container
- S57 Use appropriate container to avoid environmental contamination
- S60 This material and its container must be disposed of as hazardous waste
- S61 Avoid release to the environment. Refer to special instructions / safety data sheets
- S62 If swallowed, do not induce vomiting : seek medical advice immediately and show the label or container

Is health surveillance or monitoring required?

Yes No

Personal Protective Equipment (state type and standard)

 <input type="checkbox"/>		 <input type="checkbox"/>	
Dust mask		Visor	
 <input type="checkbox"/>		 <input type="checkbox"/>	
Respirator		Goggles	
 <input checked="" type="checkbox"/>	Disippable gloves	 <input type="checkbox"/>	
Gloves		Overalls	
 <input checked="" type="checkbox"/>	Steel toe cap boots to be worn as per company dress code.	 <input type="checkbox"/>	
Footwear		Other	

First Aid Measures

Inhalation: None
Skin: Wash with soap and water. If irritation develops, obtain medical assistance.
Eyes: Flush with cool water for at least 15 minutes. If irritation develops, obtain medical assistance.
Ingestion: Call physician or emergency number immediately. Do not give anything by mouth or induce vomiting unless instructed by physician. Antidote is Vitamin K1 under medical or veterinarian supervision

Storage / Spillage

Storage: Keep in original labelled container in designated, controlled pesticide store, out of reach of children and protected from elements.
Spillage – Clean spillages immediately. Avoid entry to watercourses

Disposal of Substances & Contaminated Containers

Hazardous Waste Skip Return to Depot Return to Supplier Other

(If Other Please State):.....

Is exposure adequately controlled?

Yes No

Risk Rating Following Control Measures

High Medium Low

Assessed by: Paul Westgate

Date: 01/01/18

Review Date: 01/01/19