



Registration number – BPR : UK 2014.0860	Appearance – Blue tinted foam applied via aerosol can
---	--













Describe the activity or work process. <i>(Inc. how long/ how often this is carried out and quantity substance used)</i>	Anticoagulant contact rodenticide for the control of rats and mice. To be applied to known sites of rodent activity as per label instructions, between 30g-4g as per species. Professional use only Applied in a manner not to contaminate foodstuffs. To be applied in a manner which allows safe removal at the conclusion of the treatment
---	--

Location of process being carried out?	Indoor use at least 2m from food storage locations
--	--

Identify the persons at risk:	Employees <input checked="" type="checkbox"/>	Sub-contractors <input type="checkbox"/>	Public <input checked="" type="checkbox"/>
-------------------------------	---	--	--

Name the substance involved including active ingredient, in the process and its manufacturer. <i>(A copy of a current safety data sheet is attached to this assessment)</i>	"Racumin Foam" Bayer Containing Coumatetralyl (0.4%)
--	---

Classification (state the category of danger)

	<input checked="" type="checkbox"/>	Long term health affects		<input type="checkbox"/>	Irritant - dermatitis causing		<input checked="" type="checkbox"/>	Extremely Flammable
	<input type="checkbox"/>	Toxic		<input type="checkbox"/>	Sensitising		<input type="checkbox"/>	Highly Flammable
	<input type="checkbox"/>	Corrosive		<input type="checkbox"/>	Biological		<input type="checkbox"/>	Flammable
	<input checked="" type="checkbox"/>	Harmful – eye irritation		<input type="checkbox"/>	Oxidising		<input checked="" type="checkbox"/>	Environmental

Hazard Type

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Gas	Vapour	Mist	Fume	Dust	Liquid	Solid	Other (State) FOAM

Route of Exposure

<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Inhalation	Skin	Eyes	Ingestion	Other (State)

Workplace Exposure Limits (WELs) please indicate n/a where not applicable

n/a	Short-term exposure level (15 mins): N/A
-----	--

State the Risks to Health from Identified Hazards

EC Classification:
H222 – extremely flammable aerosol. H229 – pressurised container may burst if heated. H319 – causes serious eye irritation. R12 – harmful) through prolonged or repeated use. H411 – toxic to aquatic life

Control Measures:









Consider non-toxic options before use
 Always read label / MSDS before use and comply with details.
 Remove non-target organisms / People during application. Areas treated to be marked as per label instruction
 To be used by trained operative (professional) only
 Keep in original, labelled container.
 Remain in control of substance at all times. Storage to be restricted to certified store, out of storage use to be confined to regulated vehicle.
 Where risk of interception by 3rd party warning labels to be used to denote use and risk
 Records to be kept on usage and location in pest control master file.
 Operator to wear suitable PPE when handling and applying As detailed below. Records of PPE maintenance to be held centrally.
 Waste product to be retained and disposed of by Pest Control operator as per EA guidelines.

Safety Phrases:

S1 Keep locked up. S2 Keep out of the reach of children
 S7 Keep container tightly closed
 S13 Keep away from food, drink and animal feeding stuffs
 S20/21 When using do not eat, drink or smoke
 S/36/37 Wear suitable protective clothing and gloves
 S44 If you feel unwell, seek medical advice (show the label where possible)
 S49/ S35 Keep in original container and dispose of in a safe way
 S57 Use appropriate container to avoid environmental contamination
 S60 This material and its container must be disposed of as hazardous waste unless empty, clean containers which can be disposed of as non-hazardous waste
 S61 Avoid release to the environment. Refer to special instructions / safety data sheets
 S62 If swallowed, do not induce vomiting : seek medical advice immediately and show the label or container
 P103 – Read label before use
 P10 – keep away from heat, hot surfaces, sparks, open flames and other ignition sources
 P211 – Do not spray on an open flame or other ignition source
 P251 – Do not pierce or burn, even after use

Is health surveillance or monitoring required?

Yes No **Personal Protective Equipment (state type and standard)**

 <input type="checkbox"/>		 <input checked="" type="checkbox"/>	
Dust mask		Visor	
 <input type="checkbox"/>		 <input checked="" type="checkbox"/>	To EN166
Respirator		Goggles	
 <input checked="" type="checkbox"/>	Disposable gloves	 <input checked="" type="checkbox"/>	Cat 3 Type 6 coveralls
Gloves		Overalls	
 <input checked="" type="checkbox"/>	Steel toe cap boots to be worn as per company dress code.	 <input type="checkbox"/>	
Footwear		Other	

First Aid Measures**Inhalation:** Move the exposed person to fresh air. Keep patient warm and at rest. If symptoms persist call a physician.**Skin:** In case of skin contact immediately wash with plenty of soap and water for at least 15 mins. If symptoms persist call a physician. Take off contaminated clothing**Eyes:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses if present, after the first 5 mins then continue rinsing the eye. Warm water may increase the subjective severity of the inflammation. This is not a sign of systemic poisoning. Get medical attention if irritation develops and persists.**Ingestion:** Rinse out mouth and give water in small sips to drink. Call a physician or poison control centre immediately**Antidote** is vitamin K1 administered by a veterinarian or medical professional**Storage / Spillage****Storage:** Keep in original labelled container in designated, controlled pesticide store, out of reach of children and protected from elements. Keep container tightly closed in a dry cool and well-ventilated place. Avoid temperatures above 50°C**Spillage** – Clean spillages immediately. Avoid entry to watercourses**Disposal of Substances & Contaminated Containers**

Hazardous Waste Skip Return to Depot Return to Supplier Other
 (If Other Please State): Cleaned container can be treated as non-hazardous

Is exposure adequately controlled?

Yes No **Risk Rating Following Control Measures**High Medium Low

Assessed by: Paul Westgate

Date: 01/01/19

Review Date: 01/01/20